

HOLLYN

SIMPLE SELECT THERMOSTATIC SHOWER SYSTEM WITH DUAL-FUNCTION SHOWER HEAD

SKU: 948007



FEATURES

Material: Brass
Shape: Rectangular
Handle Type: Lever
Features: Thermostatic
Assembly Required: Yes
Installation Type: Wall Mount
Mounting Hardware Included: Yes
Body Sprays: No
Shower Head Installation Type: Wall
Number of Shower Heads: 1
Shower Head Material: Brass
Shower Head Spray: Multi-Function
Shower Head Swivel: No
Diverter Included: Yes
Waterfall Shower Head Flow Rate: 2.5 gpm
(9.5l/min) @ 80 psi
Rainfall Shower Head Flow Rate: 1.8 gpm
(6.8 l/min) @ 80 psi

CONTENTS


VALVE PAGE 2
SHOWER HEAD PAGE 3

REVISED 11/03/2020

HOLLYN

SIMPLE SELECT 2-WAY THERMOSTATIC VALVE

SKU: 948007



FEATURES

- Valve Trim Width: 5-5/8"
- Valve Trim Height: 7-7/8"

CODES/STANDARDS

- cUPC
- ASME A112.18.1/CSA B125.1
- ASSE 1016 Type T

PRODUCT IMAGE




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 2
Code: 510363, 510364

HOLLYN

SIMPLE SELECT DUAL-FUNCTION SHOWER HEAD

SKU: 948007



FEATURES

Shower Head Spray Surface Area:
Length: 4-1/4"
Width: 6-1/2"
Shower Head Length: 8"
Shower Head Width: 19"

CODES/STANDARDS

cUPC
ASME A112.18.1/CSA B125.1

PRODUCT IMAGE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3
Code: 515454, 525455