

HOLLYN

SIMPLE SELECT THERMOSTATIC SHOWER SYSTEM

SKU: 948008



CONTENTS

| | |
|--------------------|--------|
| SHOWER MIXER | PAGE 2 |
| SHOWER HEAD | PAGE 3 |

FEATURES


Material: Brass
Shape: Rectangular
Handle Type: Lever
Features: Hand Shower Included,
Thermostatic
Assembly Required: Yes
Installation Type: Wall Mount
Mounting Hardware Included: Yes
Body Sprays: No
Shower Head Installation Type: Wall
Number Of Shower Heads: 1
Shower Head Material: Brass
Shower Head Spray: Multi-Function
Shower Arm Included: Yes
Shower Head Swivel: No
Hand Shower Material: Brass
Hand Shower Flow Rate: 1.8 gpm (6.8 l/min)
@ 80 psi
Diverter Included: Yes
Waterfall Shower Head Flow Rate: 2.5 gpm
(9.5l/min) @ 80 psi
Rainfall Shower Head Flow Rate: 1.8 gpm
(6.8 l/min) @ 80 psi

REVISED 11/03/2020

HOLLYN

SIMPLE SELECT VALVE AND HAND SHOWER

SKU: 948008



FEATURES

- Valve Trim Width: 15-1/2"
- Valve Trim Height: 4-1/2"
- Hand Shower Length: 7-1/2"
- Hand Shower Hose Length: 60"

CODES/STANDARDS

- cUPC
- ASME A112.18.1/CSA B125.1
- ASME A112.18.3
- ASSE 1016 Type T

PRODUCT IMAGE




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 2
Code: 510365, 510366

HOLLYN

SIMPLE SELECT SHOWER HEAD

SKU: 948008



FEATURES

Shower Head Spray Surface Area:

Length: 4-1/4"

Width: 6-1/2"

Shower Head Length: 8"

Shower Head Width: 19"

CODES/STANDARDS

cUPC

ASME A112.18.1/CSA B125.1

PRODUCT IMAGE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3
Code: 515454, 525455